

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1852	waveguide near3 (two\$1dimension\$4 (two adj dimension\$4) 2\$1D)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:15
S3	361	semiconductor adj laser with switch\$3 with mod\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:17
S4	20	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:52
S6	101	semiconductor adj laser with switch\$3 with mod\$2 with oscillat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:17
S7	4	S2 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:18
S8	8	S6 and path near3 (conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:04
S9	3	S4 and radiat\$3 with angl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:22
S10	5	S3 and (vcSEL (vertical adj cavity adj ((surface adj emitting) surface\$1emitting) adj laser))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:25
S11	6844	(vcSEL (vertical adj cavity adj ((surface adj emitting) surface\$1emitting) adj laser))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:25
S12	160078	switch\$3 with control\$3 with (aperture current)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:27

S13	135	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:27
S14	693	S11 and (current with (constrict\$3 limit\$4 restrict\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:28
S15	25	S12 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:28
S16	17	S15 not @ad>="20031017"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:31
S17	6	S16 and angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:33
S18	9	S16 and radiat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:36
S19	2	S15 and radiat\$3 with angl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:37
S20	2	S15 and radiat\$3 with angl\$3 with (alter\$3 chang\$3 vary\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:39
S21	3	S8 and radiat\$3 with angl\$3 with (chang\$3 vary\$3 varies alter\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 12:41
S22	9	path near3 (conver\$4) with radiat\$3 with angl\$3 with (chang\$3 vary\$3 varies alter\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:37

S23	581	laser with radiation adj angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:38
S24	47	laser with ((radiation adj angle) near3 (chang\$3 rotat\$3 alter\$3 vary\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:45
S25	2	S24 with path near3 (convert\$3 chang3 alter\$3 transform\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:44
S26	2	"20040146238"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:45
S27	1852	waveguide near3 (two\$1dimension\$4 (two adj dimension\$4) 2\$1D)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:52
S28	361	semiconductor adj laser with switch\$3 with mod\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:52
S29	2	S27 with S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:53
S30	4	S27 same S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 14:53
S31	28	S27 and path near3 (conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:06
S32	8	S27 with path near3 (conver\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:27

S33	100	laser with current adj constricting adj layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:44
S34	6	vcsl with current adj constricting adj layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:41
S35	75	semiconductor adj laser with current adj constricting adj layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:45
S37	43	semiconductor adj laser with current adj constricting adj layer with active adj layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:46
S38	10	semiconductor adj laser with current adj constricting adj layer with active adj layer with waveguide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:50
S39	4	modal adj laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:50
S41	4571	372/43.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:51
S42	0	372/43.ccls. and semiconductor adj laser with switch\$3 with mod\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:51
S43	3607	372/43.ccls. and semiconductor adj laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:52
S44	61	372/43.ccls. and semiconductor adj laser and switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:54

S45	6	372/43.ccls. and semiconductor adj laser and switch\$3 and mod\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 15:52
S47	0	laser with current with constrict\$3 with control\$3 with angle with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:15
S48	30	laser with current with constrict\$3 with control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:19
S50	1	laser with current with constrict\$3 with control\$3 with aperture	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:19
S51	2	laser with current with constrict\$3 with control\$3 with path	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:20
S53	1	laser with current with constrict\$3 with control\$3 with switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:21
S54	3	laser with current with constrict\$3 with switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:22
S55	8	laser same current with constrict\$3 with switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:22
S57	52	laser with (current adj constricting adj layer) with (active adj layer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:28
S58	1	laser with (current adj constricting adj layer) with (active adj layer) with switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:29

S59	1	laser with (current adj constricting adj layer) with (active adj layer) with control\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:29
S60	6	laser with (current adj constricting adj layer) with (active adj layer) with inject\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:30
S61	6	laser with (current adj constricting adj layer) with (active adj layer) with (aperture path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:32
S62	2	laser with (current adj constricting adj layer) with (active adj layer) with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:33
S63	281	laser with control\$3 with angle with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:34
S64	1	laser with control\$3 with angle with (far\$1field far adj field) adj image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:34
S65	1	laser with control\$3 with radiation adj angle with image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:34
S66	4	laser with control\$3 with angle with image with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:36
S67	4829	laser with chang\$3 with angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:36
S68	56	laser with chang\$3 with radiation adj angle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:37

S69	6	laser with chang\$3 with radiation adj angle with current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:47
S70	10041	optic\$4 near5 circuit\$2 with electric\$4 near5 circuit\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:48
S71	1242	optic\$4 near5 circuit\$2 with electric\$4 near5 circuit\$2 with circuit adj board	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:48
S72	6	S71 with laser with waveguide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:49
S73	28	optic\$2 adj circuit with electric\$2 adj circuit with combin\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:51
S76	3944	385/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/07/28 16:58


PALM INTRANET

 Day : Monday
 Date : 8/1/2005
 Time : 12:11:39
Inventor Name Search Result

Your Search was:

Last Name = UCHIDA

First Name = TATSURO

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<u>11037717</u>	Not Issued	020	01/18/2005	IMAGE PROCESSING APPARATUS AND IMAGE PROCESSING METHOD	UCHIDA, TATSURO
<u>11037343</u>	Not Issued	020	01/19/2005	INFORMATION PROCESSING APPARATUS AND METHOD FOR PROCESSING INFORMATION	UCHIDA, TATSURO
<u>10999993</u>	Not Issued	020	12/01/2004	PRINTING CONTROL APPARATUS AND PRINTING CONTROL METHOD	UCHIDA, TATSURO
<u>10959873</u>	Not Issued	030	10/06/2004	IMAGE PROCESSING APPARATUS AND IMAGE PROCESSING METHOD	UCHIDA, TATSURO
<u>10959685</u>	Not Issued	030	10/06/2004	INFORMATION PROCESSING APPARATUS AND INFORMATION PROCESSING METHOD	UCHIDA, TATSURO
<u>10959370</u>	Not Issued	020	10/07/2004	INFORMATION PROCESSING APPARATUS AND METHOD FOR PROCESSING INFORMATION	UCHIDA, TATSURO
<u>10874164</u>	Not Issued	030	06/24/2004	INFORMATION PROCESSING APPARATUS, INFORMATION PROCESSING METHOD, AND CONTROL PROGRAM	UCHIDA, TATSURO
<u>10828194</u>	Not Issued	041	04/21/2004	PRINT CONTROL SYSTEM, INFORMATION PROCESSING APPARATUS, FUNCTION PROVIDING APPARATUS, PRINT FUNCTION DISPLAY METHOD, COMPUTER PROGRAM, AND COMPUTER-READABLE RECORDING MEDIUM	UCHIDA, TATSURO
<u>10825229</u>	Not Issued	020	04/16/2004	INFORMATION PROCESSING APPARATUS, INFORMATION PROCESSING METHOD, AND	UCHIDA, TATSURO

				CONTROL PROGRAM	
<u>10793911</u>	Not Issued	020	03/08/2004	PRINTING SYSTEM AND PRINTING APPARATUS	UCHIDA, TATSURO
<u>10759833</u>	Not Issued	030	01/15/2004	OPTICAL CONNECTOR DEVICE, AND OPTICAL AND ELECTRICAL CIRCUIT COMBINED BOARD USING THE SAME	UCHIDA, TATSURO
<u>10626535</u>	Not Issued	071	07/25/2003	TWO-DIMENSIONAL OPTICAL WAVEGUIDE APPARATUS, AND OPTO-ELECTRONIC HYBRID CIRCUIT BOARD USING SUCH OPTICAL WAVEGUIDE APPARATUS	UCHIDA, TATSURO
<u>10541188</u>	Not Issued	019	01/01/0001	OPTICAL ELEMENT DEVICE AND TWO-DIMENSIONAL OPTICAL WAVEGUIDE DEVICE AND OPTOELECTRONIC	UCHIDA, TATSURO
<u>10472900</u>	Not Issued	071	09/25/2003	ROTARY MACHINE WITH SEAL	UCHIDA, TATSURO
<u>10359651</u>	Not Issued	095	02/07/2003	PLANAR OPTICAL WAVEGUIDE AND METHOD OF MANUFACTURING THE SAME	UCHIDA, TATSURO
<u>10338368</u>	<u>6896271</u>	150	01/09/2003	METAL GASKET WITH COATING AT FLANGE AND METHOD OF FORMING THE SAME	UCHIDA, TATSURO
<u>10334975</u>	<u>6796730</u>	150	01/02/2003	PRINTING SYSTEM AND PRINTING APPARATUS	UCHIDA, TATSURO
<u>10334916</u>	Not Issued	030	01/02/2003	PRINT LAYOUT APPARATUS AND METHOD	UCHIDA, TATSURO
<u>10312868</u>	Not Issued	161	01/02/2003	ELASTIC WHEEL	UCHIDA, TATSURO
<u>10180139</u>	Not Issued	030	06/27/2002	PRINTING CONTROL APPARATUS AND PRINTING CONTROL METHOD CAPABLE OF ACCURATELY PRINTING EMBEDDED FONT	UCHIDA, TATSURO
<u>09787303</u>	<u>6899932</u>	150	03/16/2001	POLYTETRAFLUOROETHYLENE MOLDED PRODUCT IN BLOCK FORM AND METHOD FOR PRODUCTION THEREOF	UCHIDA, TATSURO
<u>09763093</u>	Not Issued	061	02/16/2001	POLYTETRAFLUOROETHYLENE LAMINATED	UCHIDA, TATSURO
<u>09743573</u>	<u>6747108</u>	150	01/12/2001	MODIFIED POLYTETRAFLUOROETHYLENE FINE POWDER AND PROCESS FOR	UCHIDA, TATSURO

				PREPARING THE SAME	
<u>09514320</u>	Not Issued	161	02/28/2000	PROCESS FOR PREPARING MOLDED POLYTETRAFLUOROETHYLENE WITH LUBRICANT, BELT PRESS DEWATERING MACHINE, AND PROCESS FOR DEWATERING SOLID WET MATERIALS	UCHIDA, TATSURO
<u>09485902</u>	<u>6627277</u>	150	02/18/2000	POLYTETRAFLUOROETHYLENE TUBING AND EXTRUDER FOR THE PRODUCTION THEREOF	UCHIDA, TATSURO
<u>09384082</u>	<u>6824575</u>	150	08/26/1999	INTEGRATED COAL GASIFICATION COMBINED CYCLE POWER GENERATOR	UCHIDA, TATSURO
<u>09381225</u>	<u>6287497</u>	150	09/17/1999	MOLDED POLYTETRAFLUOROETHYLENE ARTICLE AND METHOD OF PRODUCTION THEREOF	UCHIDA, TATSURO
<u>09066388</u>	Not Issued	161	04/29/1998	METHOD OF PRODUCING POLYTETRAFLUOROETHYLENE SHEET, APPARATUS THEREFOR, AND APPARATUS FOR GRANULATING AND KNEADING	UCHIDA, TATSURO
<u>09000834</u>	<u>5979907</u>	150	12/30/1997	METAL GASKET WITH EDGE SUPPORT SHIM	UCHIDA, TATSURO
<u>08962882</u>	<u>5821627</u>	150	11/05/1997	ELECTRONIC CIRCUIT DEVICE	UCHIDA, TATSURO
<u>08816725</u>	<u>5801797</u>	150	03/13/1997	IMAGE DISPLAY APPARATUS INCLUDES AN OPPOSITE BOARD SANDWICHED BY ARRAY BOARDS WITH END PORTIONS OF THE ARRAY BOARDS BEING OFFSET	UCHIDA, TATSURO
<u>08693232</u>	Not Issued	161	08/22/1996	PROCESS FOR PREPARING MOLDED POLYTETRAFLUOROETHYLENE WITH LUBRICANT, BELT PRESS DEWATERING MACHINE, AND PROCESS FOR DEWATERING SOLID WET MATERIALS	UCHIDA, TATSURO
<u>08688677</u>	<u>5684677</u>	150	07/29/1996	ELECTRONIC CIRCUIT DEVICE	UCHIDA, TATSURO
<u>08558222</u>	Not Issued	166	11/17/1995	ELECTRONIC CIRCUIT DEVICE	UCHIDA, TATSURO
<u>08493530</u>	Not Issued	166	06/22/1995	ELECTRONIC CIRCUIT DEVICE	UCHIDA, TATSURO

<u>08265102</u>	Not Issued	166	06/24/1994	ELECTRONIC CIRCUIT DEVICE	UCHIDA, TATSURO
<u>08209067</u>	Not Issued	161	03/11/1994	ELECTRONIC CIRCUIT DEVICE	UCHIDA, TATSURO
<u>07698707</u>	<u>5131668</u>	150	05/13/1991	STEEL LAMINATE GASKET WITH SEAL PROTECTING MEMBER	UCHIDA, TATSURO
<u>07302535</u>	<u>5082298</u>	150	01/26/1989	STEEL LAMINATE GASKET WITH SEAL PROTECTING MEMBER	UCHIDA, TATSURO
<u>07295860</u>	<u>4869515</u>	150	01/11/1989	METAL PLATE WITH REINFORCED BEADS FOR A METAL GASKET	UCHIDA, TATSURO
<u>06667260</u>	<u>4625761</u>	150	11/01/1984	CORROSION-RESISTANT, QUICK DISCONNECTING COUPLING ASSEMBLY FOR PIPING USE	UCHIDA, TATSURO

Inventor Search Completed: No Records to Display.

Search Another: Inventor	Last Name	First Name	<input type="button" value="Search"/>
	<input type="text" value="Uchida"/>	<input type="text" value="Tatsuro"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)